




**Wall washer OLE RWW-24**

CCT	2700K-5700K	RGB	RGBW
Power	12W	12W	14W
Control	DMX512	DMX512	DMX512
Beam Angle	30°, 45°, 25°*45°		
Protection	IP66	IP66	IP66
Voltage	DC24V	DC24V	DC24V
Weight	0.8KG	0.8KG	0.8KG
Efficacy	45-52 lm/W	19-20 lm/W	23-24 lm/W
Housing	Aluminum	Aluminum	Aluminum
Color	Graphite Black, Iron Grey, Signal White, Signal Green		


Dimension**Wall washer OLE RWW-33**

CCT	2700K-5700K	2700K-5700K
Power	18W	24W
Beam Angle	20°, 30°, 45°, 20°*40°	
Protection	IP66	IP66
Voltage	DC24V	DC24V
Weight	1.2KG	1.2KG
Efficacy	90-110 lm/W	90-110 lm/W
Housing	Aluminum	Aluminum
Color	Graphite Black, Iron Grey, Signal White, Signal Green	

Dimension

**Dimension****Wall washer OLE RWW-38**

CCT	2700K-5700K	RGB	RGBW
Power	24W,36W,48W	36W	48W
Control	DMX512	DMX512	DMX512
Beam Angle	8°,15°,30°,45°,60°,15°60°,20°40°	15°,30°,45°,15°60°,20°40°	15°,30°,45°,15°60°,20°40°
Protection	IP66	IP66	IP66
Voltage	DC24V	DC24V	DC24V
Weight	1.5KG	1.5KG	1.5KG
Efficacy	62-83 lm/W	19-25 lm/W	27-38 lm/W
Housing	Aluminum	Aluminum	Aluminum
Color	Graphite Black, Iron Grey, Signal White, Signal Green		

**Dimension****Wall washer OLE RWW-65**


CCT	2700K-5700K	RGB	RGBW	5in1	7in1
Power	60W	60W	60W	48W	60W
Control	DMX512	DMX512	DMX512	DMX512	DMX512
Beam Angle	8°,15°,22°,30°,45°,60°,15°60°,20°40°	15°,30°,45°,60°,15°60°,20°40°	15°,22°,45°		
Protection	IP66	IP66	IP66	IP66	
Voltage	AC200V-240V	AC200V-240V	AC200V-240V	AC200V-240V	
Weight	3.5KG	3.5KG	3.5KG	3.5KG	
Efficacy	56-75 lm/W	22-26 lm/W	33-38 lm/W	50-63 lm/W	
Housing	Aluminum	Aluminum	Aluminum	Aluminum	
Color	Graphite Black, Iron Grey, Signal White, Signal Green				






Dimension

L Shape Bracket



Baffle Type



Wall washer OLE RWW-90

CCT	2700K-6000K	RGB	RGBW
Power	120W	120W	120W
Control	DMX512	DMX512	DMX512
Beam Angle	8°, 15°, 30°, 45°, 60°, 15°*60°, 20°*40°	15°, 30°, 45°, 60°, 15°*60°, 20°*40°	15°, 30°, 45°, 60°, 15°*60°, 20°*40°
Protection	IP66	IP66	IP66
Voltage	DC24V / AC110V-220V / AC220V		
Weight	4.9KG	4.9KG	4.9KG
Efficacy	65-75 lm/W	24-27 lm/W	36-41 lm/W
Housing	Aluminum	Aluminum	Aluminum
Color	Graphite Black, Iron Grey, Signal White, Signal Green		

